

## SAFETY DATA SHEET THYME OIL WHITE

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** THYME OIL WHITE

**Product number** 30303

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Concentrated material for manufacturing purposes only.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** Ancient Wisdom Marketing Ltd  
Block B, Parkwood Business Park  
75 Parkwood Road  
Sheffield  
South Yorkshire  
S3 8AL  
+44 (0) 114 272 9165

#### 1.4. Emergency telephone number

**Emergency telephone** +44 (0) 114 272 9165

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification

**Physical hazards** Flam. Liq. 3 - H226

**Health hazards** Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335 Asp. Tox. 1 - H304

**Environmental hazards** Aquatic Chronic 2 - H411

**Classification (67/548/EEC or 1999/45/EC)** Xn; R65. C; R34. Xi; R37. N; R51/53. R10, R43

#### 2.2. Label elements

##### Pictogram



**Signal word**

Danger

## THYME OIL WHITE

<b>Hazard statements</b>	<p>H226 Flammable liquid and vapour.  H304 May be fatal if swallowed and enters airways.  H314 Causes severe skin burns and eye damage.  H317 May cause an allergic skin reaction.  H335 May cause respiratory irritation.  H411 Toxic to aquatic life with long lasting effects.</p>
<b>Precautionary statements</b>	<p>P261 Avoid breathing vapour/spray.  P273 Avoid release to the environment.  P280 Wear protective gloves/protective clothing/eye protection/face protection.  P302+P352 IF ON SKIN: Wash with plenty of water.  P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  P333+P313 If skin irritation or rash occurs: Get medical advice/attention.</p>
<b>Contains</b>	<p>THYMOL, p-CYMENE , PIN-2(3)-ENE (ALPHA-PINENES), MYRCENE , LIMONENE, PIN-2(10)-ENE (BETA-PINENES), p-MENTHA-1,4(8)-DIENE (TERPINOLENE)</p>
<b>Supplementary precautionary statements</b>	<p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P260 Do not breathe vapour/spray.  P264 Wash contaminated skin thoroughly after handling.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  P312 Call a POISON CENTER/doctor if you feel unwell.  P321 Specific treatment (see medical advice on this label).  P362+P364 Take off contaminated clothing and wash it before reuse.  P363 Wash contaminated clothing before reuse.  P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.  P391 Collect spillage.  P403+P233 Store in a well-ventilated place. Keep container tightly closed.  P403+P235 Store in a well-ventilated place. Keep cool.  P405 Store locked up.  P501 Dispose of contents/container in accordance with national regulations.</p>

### 2.3. Other hazards

### SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

## THYME OIL WHITE

<b>THYMOL</b>		<b>30-60%</b>
CAS number: 89-83-8		EC number: 201-944-8
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Acute Tox. 4 - H302	Xn; R22. C; R34. N; R51/53	
Skin Corr. 1C - H314		
Eye Dam. 1 - H318		
Aquatic Chronic 2 - H411		
<b>p-CYMENE</b>		<b>30-60%</b>
CAS number: 99-87-6		EC number: 202-796-7
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Flam. Liq. 3 - H226	Xn; R65. N; R51/53. R10	
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Asp. Tox. 1 - H304		
Aquatic Chronic 2 - H411		
<b>ALPHA-TERPINEOL</b>		<b>5-10%</b>
CAS number: 10482-56-1		EC number: 233-986-8
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Skin Irrit. 2 - H315	Xi; R36/38	
Eye Irrit. 2 - H319		
<b>LINALOOL</b>		<b>5-10%</b>
CAS number: 78-70-6		EC number: 201-134-4
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Skin Irrit. 2 - H315	Xi; R36/38	
Eye Irrit. 2 - H319		
<b>MYRCENE</b>		<b>1-5%</b>
CAS number: 123-35-3		EC number: 204-622-5
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Flam. Liq. 3 - H226	Xn; R65. Xi; R36/38. R10	
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Asp. Tox. 1 - H304		

## THYME OIL WHITE

<b>PIN-2(3)-ENE (ALPHA-PINENES)</b>	<b>1-5%</b>
CAS number: 80-56-8	EC number: 201-291-9
M factor (Acute) = 1	M factor (Chronic) = 1
<b>Classification</b> Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1B - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn; R65. Xi; R38. N; R50/53. R43, R10
<b>LIMONENE</b>	<b>1-5%</b>
CAS number: 138-86-3	EC number: 205-341-0
M factor (Acute) = 1	M factor (Chronic) = 1
<b>Classification</b> Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn; R65. Xi; R38. N; R50/53. R10, R43
<b>PIN-2(10)-ENE (BETA-PINENES)</b>	<b>&lt;1%</b>
CAS number: 127-91-3	EC number: 204-872-5
M factor (Acute) = 1	M factor (Chronic) = 1
<b>Classification</b> Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1B - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn; R65. Xi; R38. N; R50/53. R43, R10
<b>p-MENTHA-1,4(8)-DIENE (TERPINOLENE)</b>	<b>&lt;1%</b>
CAS number: 586-62-9	EC number: 209-578-0
M factor (Chronic) = 1	
<b>Classification</b> Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Chronic 1 - H410	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn; R65. N; R50/53. R43

## THYME OIL WHITE

<b>CAMPHENE</b>	<b>&lt;1%</b>
CAS number: 79-92-5	EC number: 201-234-8
M factor (Acute) = 1	
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Flam. Liq. 3 - H226	Xn; R65. Xi; R36. N; R50, R51/53. R10
Eye Irrit. 2 - H319	
Asp. Tox. 1 - H304	
Aquatic Acute 1 - H400	
Aquatic Chronic 2 - H411	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if symptoms are severe or persist after washing.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. See Section 11 for additional information on health hazards.
----------------------------	--

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	No specific recommendations.
-----------------------------	------------------------------

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Extinguish with the following media: Foam, carbon dioxide or dry powder.
<b>Unsuitable extinguishing media</b>	Water.

#### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	Toxic gases or vapours.
-------------------------	-------------------------

#### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Containers close to fire should be removed or cooled with water.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## THYME OIL WHITE

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage.

#### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage.

#### 6.4. Reference to other sections

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin, eyes and clothing.

**Advice on general occupational hygiene** Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight.

#### 7.3. Specific end use(s)

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

#### 8.2. Exposure controls

##### Protective equipment



**Appropriate engineering controls**

Provide adequate ventilation.

**Eye/face protection**

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

**Hand protection**

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

**Other skin and body protection**

Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact.

## THYME OIL WHITE

<b>Hygiene measures</b>	No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.
<b>Respiratory protection</b>	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
<b>Environmental exposure controls</b>	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Colourless to pale yellow.
<b>Odour</b>	Characteristic.
<b>Flash point</b>	56°C
<b>Relative density</b>	~ 0.909 @ 20°C

#### 9.2. Other information

<b>Refractive index</b>	~ 1.496 @ 20°C
-------------------------	----------------

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

#### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures.
------------------	--

#### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	Will not polymerise.
---	----------------------

#### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	Avoid heat, flames and other sources of ignition.
----------------------------	---

#### 10.5. Incompatible materials

<b>Materials to avoid</b>	Strong oxidising agents. Strong acids. Strong alkalis.
---------------------------	--

#### 10.6. Hazardous decomposition products

<b>Hazardous decomposition products</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
---	--

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity - oral

<b>ATE oral (mg/kg)</b>	2,450.0
-------------------------	---------

<b>Ingestion</b>	May be fatal if swallowed and enters airways.
------------------	---

<b>Skin contact</b>	Causes severe skin burns and eye damage. May cause an allergic skin reaction.
---------------------	---

<b>Acute and chronic health hazards</b>	May cause respiratory system irritation.
---	--

#### Toxicological information on ingredients.

## THYME OIL WHITE

### THYMOL

#### Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> mg/kg) 980.0

Species Rat

ATE oral (mg/kg) 980.0

### SECTION 12: Ecological Information

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

#### 12.1. Toxicity

##### Ecological information on ingredients.

### LIMONENE

#### Acute aquatic toxicity

LE(C)<sub>50</sub> 0.1 < L(E)C<sub>50</sub> ≤ 1

M factor (Acute) 1

#### Chronic aquatic toxicity

M factor (Chronic) 1

#### 12.2. Persistence and degradability

**Persistence and degradability** The product contains substances which are not expected to be biodegradable.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** The product does not contain any substances expected to be bioaccumulating.

#### 12.4. Mobility in soil

**Mobility** The product is insoluble in water.

#### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal methods** Dispose of waste product or used containers in accordance with local regulations

### SECTION 14: Transport information

#### 14.1. UN number

UN No. (ADR/RID) 2924

UN No. (IMDG) 2924

UN No. (ICAO) 2924

UN No. (ADN) 2924



## THYME OIL WHITE

### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)** CORROSIVE LIQUID, FLAMMABLE, N.O.S. (CONTAINS THYMOL, p-CYMENE )

**Proper shipping name (IMDG)** CORROSIVE LIQUID, FLAMMABLE, N.O.S. (CONTAINS THYMOL, p-CYMENE )


**Proper shipping name (ICAO)** CORROSIVE LIQUID, FLAMMABLE, N.O.S. (CONTAINS THYMOL, p-CYMENE )

**Proper shipping name (ADN)** CORROSIVE LIQUID, FLAMMABLE, N.O.S. (CONTAINS THYMOL, p-CYMENE )

### 14.3. Transport hazard class(es)

ADR/RID class	3
ADR/RID subsidiary risk	8
ADR/RID classification code	FC
ADR/RID label	3
IMDG class	3
IMDG subsidiary risk	8
ICAO class/division	3
ICAO subsidiary risk	8
ADN class	3
ADN subsidiary risk	8

#### Transport labels



### 14.4. Packing group

ADR/RID packing group	I
IMDG packing group	I
ADN packing group	I
ICAO packing group	I

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**  
No.

### 14.6. Special precautions for user

EmS	F-E, S-C
ADR transport category	1
Emergency Action Code	•3WE
Hazard Identification Number (ADR/RID)	338
Tunnel restriction code	(C/E)

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

## THYME OIL WHITE

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>EU legislation</b>	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
<b>Guidance</b>	Workplace Exposure Limits EH40.

#### 15.2. Chemical safety assessment

### SECTION 16: Other information

<b>Key literature references and sources for data</b>	European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
<b>Issued by</b>	Regulatory Manager
<b>Revision date</b>	29/07/2015
<b>Revision</b>	0
<b>Risk phrases in full</b>	R10 Flammable. R22 Harmful if swallowed. R34 Causes burns. R36 Irritating to eyes. R36/38 Irritating to eyes and skin. R37 Irritating to respiratory system. R38 Irritating to skin. R43 May cause sensitisation by skin contact. R50 Very toxic to aquatic organisms. R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 Harmful: may cause lung damage if swallowed.
<b>Hazard statements in full</b>	H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.